

X.C. SERIES HYDRATION PACKS

TOKUL™ | W'S B-LINE™



WITH AN ULTRALIGHT, COOL-RIDING RIDGEAIR™ BACK PANEL, these low-profile hydration packs are built to deliver comfort while carrying the essentials on anything from quick laps to full-day hauls. The X.C. packs offer simple organization options for tools, and a fold-open design allows fast access to the pack's contents for trailside repairs. Rounding out the feature-rich, minimalist design, a premium Big Zip™ LP reservoir delivers 3 liters of taste-free hydration.



TOKUL X.C. 8.0

6 liters gear storage

100 fl. oz. / 3L Big Zip™ LP Hydration

PACK WEIGHT 1 lbs. 3 oz. | 524g

RESERVOIR WEIGHT 6 oz. | 170g

TOKUL X.C. 5.0

2 liters gear storage

100 fl. oz. / 3L Big Zip™ LP Hydration

PACK WEIGHT 1 lbs. | 451g

RESERVOIR WEIGHT 6 oz. | 170g

W'S B-LINE 8.0

5 liters gear storage

100 fl. oz. / 3L Big Zip™ LP Hydration

PACK WEIGHT 1 lbs. 3 oz. | 521g

RESERVOIR WEIGHT 6 oz. | 170g

WOMEN'S *Fit*

FEATURE OVERVIEW

TOKUL™ | W'S B-LINE™



- 1 BigZip™ LP premium hydration system delivers taste-, BPA- and BPS-free water on the go
- 2 Magnetic hose retention offers clip-free access to the bite valve
- 3 Hydration storage pocket with fixed clips keeps reservoir secure and easy to access
- 4 RidgeAir™ back panel delivers lightweight, cooling ventilation
- 5 Internal organization pockets to secure your gear

- 6 Strap management keeps loose ends secure
- 7 Long-track sternum strap adjustment for a tailored, secure fit
- 8 Reflective hits enhance visibility in low light
- 9 Light attachment point secures a rear blinker

10 Carry pocket stows a standard cross-country helmet
On Tokul X.C. 5.0, two webbing straps allow for helmet straps to be attached to the pack

- 11 Lightweight webbing waistbelt stabilizes the pack for comfortable carrying
- Women's Fit (B-Line only) offers female-tailored suspension design for an optimal fit (not shown)
- SoftTouch materials (B-Line only) at contact points for next-to-skin comfort (not shown)
- Waistbelt pockets (B-Line only) stow small essentials for fast access (not shown)



RIDGEAIR™ BACK PANEL

Lightweight, breathable mesh is backed by ridged foam with ventilation channels, enabling air to move efficiently across your back while you ride.



TOOL ORGANIZATION AND SEPARATE PUMP SLEEVES

Zip mesh pocket with key retainer, three mesh stash pockets, and two pump sleeves put bike tools, food, and keys within easy reach.

ON-THE-FLY STORAGE (WAISTBELT POCKETS)—B-LINE ONLY

Two stash pockets on the waistbelt stow smaller riding essentials like energy foods for fast, keep-your-pack-on-your-back, on-the-go access.



(Tokul X.C. 5.0 only: instead of a front stash pocket, there are two webbing straps to attach helmet chin strap.)


HELMET CARRY

Front stash pocket adjusts to fit a standard cross country lid for fast and easy securing of your helmet.

HYDRATION FEATURES



BIG ZIP™ LP / 3L



1 Super-tough exterior with a taste-free lining

2 SlideLock™ closure for total security

3 Wide opening makes it easy to fill, clean, and dry the reservoir

4 Low-profile design rides flat in your pack

5 Center baffle prevents bowing, keeping low-profile shape of reservoir

6 Embedded silver-ion protects reservoir from mold and bacteria

7 90° shut-off valve

8 High-flow HyperFlow™ bite valve

9 All materials are certified food-grade, BPA-, BPS-, and phthalate-free

10 Quick-Disconnect drink tube lets you leave the hose routed in the pack for easy filling

HYDRATION

TUBE ROUTING OPTIONS AND STEPS

Preface: Shoulder and sternum strap adjustments should be determined before adjusting and routing the hydration tube, as pack fit adjustments will affect the amount of hydration tube exposed.

QUICK-DISCONNECT

1. To disconnect the hydration tube from the reservoir, locate the Quick-Disconnect port at the bottom center of the reservoir. Press the button at the top of the Quick-Disconnect port to release the hydration tube connector.



2. To reconnect the hydration tube, simply press the Quick-Disconnect connector back into the port on the reservoir, pressing firmly until the Quick-Disconnect button reengages with an audible “click” and the connector cannot be pushed into the port any further.

TO ROUTE THE TUBE

1. Thread the bite valve end of the tube through the two webbing loops on the shoulder strap of your choosing.
2. Locate the magnet clip attached to the tube and connect it to the magnet retainer found on the sternum strap.

TO ROUTE THE TUBE (CONT.)

- 2A. For optimal performance, route the tube over the right shoulder and adjust the length between bite valve and magnet to 3-4 inches (7.6–10.2 cm).



- 2B. Alternatively, you can route the tube on the left shoulder strap, and mount the bite valve across the chest if desired.

3. Store any extra hydration tube length inside the pack in the hydration pocket, taking care to not kink the tube.

- 3A. Alternatively, you may cut the tube to a preferred length.

Note: when trimming the hose, do so from the Quick-Disconnect end of the tube, removing the 90° connector from the tube, trimming the tube to your preferred length, then replacing the Quick-Disconnect connector.



4. Put the pack on to verify desired location of bite valve and magnetic retainer; adjust as necessary to optimize fit and bite valve location.

TO ROUTE THE TUBE (CONT.)

5. Your magnetic tube retainer provides easy access to hydration—when set up correctly, the magnets are designed to reattach hands-free after letting go of the bite valve.



SHUT-OFF VALVE

1. The shut-off valve, which connects the bite valve to the hydration tube, can be engaged and disengaged with an easy 90° twist of the valve.

- 1A. To enable water flow, twist the bite valve so that the two raised tabs (one blue, the other clear) connect together.




- 1B. To stop water flow, twist the bite valve in the opposite direction so that the two tabs separate from each other until they cannot be twisted any further.

SLIDELOCK™ CLOSURE

1. The SlideLock closure is a one-way sliding device that slides across the top of the Big Zip™ LP reservoir to ensure a tight seal of the zippered opening.

- 1A. To open the reservoir, remove the SlideLock closure by sliding it toward the attached, elastic retainer cord until the SlideLock slides off of the reservoir's opening. Pull apart the two top edges of the reservoir to open it.



- 1B. To close the reservoir, simply reverse the process and firmly slide the SlideLock device across the top of the reservoir until it cannot be slid any further.

MORE INFORMATION

PLATYPUS CARE AND FEEDING



To get the best performance from your Platypus products, follow these basic guidelines:

HYDRATION PACK CARE

Keeping your pack clean will help extend the life of your pack. Brush superficial dirt away, or rinse with warm water. If necessary, you can hand wash your pack with a sponge and mild soap. Rinse thoroughly to remove soap residue and hang dry. **DO NOT MACHINE WASH OR TUMBLE DRY YOUR PACK.** Always empty and dry your pack before storage.

RESERVOIR CARE

Always store your reservoir dry or in your freezer. Our reservoirs are easy to dry on plastic bag drying racks, readily available at most kitchen supply retailers, and you can easily use a dishtowel with our wide, Big Zip™ openings.

MORE TIPS

For more great tips and videos on the care and storage of your Platypus products, please visit us online at www.platy.com.

QUESTIONS

To find more info, go to www.platy.com/FAQ or contact our customer service at 1-800-531-9531 or consumer@cascaadedesigns.com.

PLATYPUS

©2016 Cascade Designs, Inc.
4000 First Avenue South
Seattle, WA 98134 USA
1-800-531-9531 | 1-206-505-9500

Limited warranty

OWNER'S MANUAL

82-080